

LIST OF TABLES

Table I-1	Summary of IRE Database Changes.....	I-5
Table I-2	Evaluation of the Performance of the IRE Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by Study and Overall.....	I-9
Table I-3	Evaluation of the Performance of the IRE Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by Study and Overall.....	I-11
Table I-4	Evaluation of the Performance of the IRE Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by Study and Overall.....	I-14
Table I-5	False Negative and False Positive Rates of the IRE Test Method, by Chemical Class and Properties of Interest, for the GHS Classification System (Analysis Based on the Expanded Data Set).....	I-16
Table I-6	Overall Accuracy of the IRE Test Method in Predicting the Irritancy of a Substance as Defined by the GHS Classification System (Analysis Based on the Expanded Data Set).....	I-18
Table I-7	Interlaboratory Variability of Balls et al. (1995) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the GHS Classification System.....	I-22
Table I-8	Interlaboratory Variability of Balls et al. (1995) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the EPA Classification System.....	I-23
Table I-9	Interlaboratory Variability of Balls et al. (1995) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the EU Classification System.....	I-25

Table I-10	Interlaboratory Variability of CEC Collaborative Study (1991) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the EU Classification System.....	I-26
Table I-11	Interlaboratory Reproducibility of Corneal Endpoint Measures for Substances Tested in Common Between IRE Test Method Studies	I-28
Table II-1	Summary of ICE Database Changes.....	II-5
Table II-2	Evaluation of the Performance of the ICE Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by Study and Overall.....	II-8
Table II-3	Evaluation of the Performance of the ICE Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by Study and Overall.....	II-11
Table II-4	Evaluation of the Performance of the ICE Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by Study and Overall.....	II-13
Table II-5	False Negative and False Positive Rates of the ICE Test Method, by Chemical Class and Properties of Interest, for the GHS Classification System.....	II-16
Table II-6	Overall Accuracy of the ICE Test Method in Predicting the Irritancy of a Substance as Defined by the GHS Classification System.....	II-18
Table II-7	Intralaboratory Repeatability of ICE Test Method Endpoints – Prinsen (2000)	II-21
Table II-8	Intralaboratory Reproducibility of ICE Test Method Endpoints – Prinsen (2000)	II-23

Table II-9	Interlaboratory Variability of Balls et al. (1995) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the GHS Classification System.....	II-26
Table II-10	Interlaboratory Variability of Balls et al. (1995) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the EPA Classification System.....	II-28
Table II-11	Interlaboratory Variability of Balls et al. (1995) for Substances Classified as Ocular Corrosives/Severe Irritants or Nonsevere Irritants/Nonirritants Using the EU Classification System.....	II-30
Table II-12	Intralaboratory Reproducibility of ICE Test Method Endpoints – Negative Control (Isotonic Saline) Data.....	II-31
Table III-1	Summary of BCOP Database Changes.....	III-5
Table III-2	Evaluation of the Performance of the BCOP Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by Study and Overall.....	III-8
Table III-3	Evaluation of the Performance of the BCOP Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by Study and Overall.....	III-11
Table III-4	Evaluation of the Performance of the BCOP Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by Study and Overall.....	III-14
Table III-5	False Negative and False Positive Rates of the BCOP Test Method, by Chemical Class and Properties of Interest, for the GHS Classification System.....	III-16
Table III-6	Overall Performance of the BCOP Test Method in Predicting the Irritancy of a Substance as Defined by the GHS Classification System.....	III-19

Table III-7	Evaluation of the Reliability of the BCOP Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the GHS Classification System, by Study.....	III-23
Table III-8	Evaluation of the Reliability of the BCOP Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the EPA Classification System, by Study	III-26
Table III-9	Evaluation of the Reliability of the BCOP Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the EU Classification System, by Study	III-29
Table IV-1	Summary of HET-CAM Database Changes	IV-5
Table IV-2	Evaluation of the Performance of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by Study	IV-10
Table IV-3	Evaluation of the Performance of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the GHS Classification System, by HET-CAM Analysis Method	IV-12
Table IV-4	Evaluation of the Performance of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by Study	IV-16
Table IV-5	Evaluation of the Performance of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EPA Classification System, by HET-CAM Analysis Method	IV-18
Table IV-6	Evaluation of the Performance of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by Study	IV-21

Table IV-7	Evaluation of the Performance of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants Compared to the <i>In Vivo</i> Rabbit Eye Test Method, as Defined by the EU Classification System, by HET-CAM Analysis Method	IV-23
Table IV-8	False Negative and False Positive Rates of the HET-CAM Test Method, by Chemical Class and Properties of Interest, for the GHS Classification System.....	IV-26
Table IV-9	Overall Accuracy of the HET-CAM Test Method in Predicting the Irritancy of a Substance as Defined by the GHS Classification System (IS(B)-10 Analysis Method)	IV-29
Table IV-10	Overall Accuracy of the HET-CAM Test Method in Predicting the Irritancy of a Substance as Defined by the GHS Classification System (IS(B)-100 Analysis Method)	IV-30
Table IV-11	Intralaboratory Repeatability Results for HET-CAM IS(B) Data of Gillleron et al. (1996).....	IV-33
Table IV-12	Intralaboratory Repeatability Results for HET-CAM IS(B) Data of Gillleron et al. (1997).....	IV-41
Table IV-13	Intralaboratory Reproducibility Results for HET-CAM IS(B) Data of Gillleron et al. (1996).....	IV-49
Table IV-14	Intralaboratory Reproducibility Results for HET-CAM IS(B) Data of Gillleron et al. (1997).....	IV-53
Table IV-15	Evaluation of the Reliability of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the GHS Classification System, by Study.....	IV-59
Table IV-16	Evaluation of the Reliability of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants as Defined by the EPA Classification System, by Study	IV-62
Table IV-17	Evaluation of the Reliability of the HET-CAM Test Method in Predicting Ocular Corrosives and Severe Irritants (as Defined by the EU Classification System), by Study	IV-66

Table IV-18	%CV Values for Substances Evaluated Using the IS(B) Analysis Method (from CEC [1995]).....	IV-71
Table IV-19	%CV Values for Substances Evaluated Using the Q-Score Analysis Method (from Balls et al. [1995])	IV-72
Table IV-20	%CV Values for Substances Evaluated Using the S-Score Analysis Method (from Balls et al. [1995]).....	IV-73
Table IV-21	%CV Values for Substances Evaluated Using the IS(B) Analysis Method (from Spielmann et al. [1996])	IV-74
Table IV-22	%CV Values for Substances Evaluated Using the IS(A) Analysis Method (from Hagino et al. [1999])	IV-78
Table IV-23	Comparison of Means and Standard Deviations of 0.9% NaCl With and Without Use of the Test Substance Applicator.....	IV-79
Table IV-24	Comparison of Means and Standard Deviations for Positive Controls Tested With and Without Test Substance Applicator	IV-80
Table IV-25	Intralaboratory %CV Evaluation for Imidazole	IV-81
Table IV-26	Intralaboratory Analyses %CV Evaluation for Dimethylformamide	IV-82
Table IV-27	Means and Standard Deviations of Positive Control Test Substances	IV-85
Table V-1	Distribution of Substances in the <i>In Vivo</i> Rabbit Eye Test Database and Molecular Weight Ranges of the Proposed Reference Substances, by GHS Ocular Hazard Classification	V-8
Table V-2	NICEATM-Defined Subcategories for the Proposed GHS Category 1 Reference Substances.....	V-9
Table V-3	Chemical Classes and Properties of Interest Represented Among the Proposed Reference Substances, According to GHS Ocular Hazard Classification Category	V-10
Table V-4	Product Classes Represented Among the Proposed Reference Substances, According to GHS Ocular Hazard Classification Category	V-12