

TABLE OF CONTENTS

	Page Number
LIST OF TABLES	xi
LIST OF ACRONYMS AND ABBREVIATIONS	xvii
ACKNOWLEDGEMENTS	xix
ADDENDUM PREFACE	xxi
EXECUTIVE SUMMARY	xxv

I. Isolated Rabbit Eye (IRE) Test Method Accuracy and Reliability

Reanalysis	I-1
1.0 Introduction	I-3
2.0 Accuracy of the IRE Test Method – Reanalysis.....	I-7
2.1 GHS Ocular Hazard Classification System	I-7
2.1.1 Balls et al. (1995).....	I-8
2.1.2 Gettings et al. (1996)	I-8
2.1.3 Guerriero et al. (2004).....	I-8
2.1.4 Expanded Data Set.....	I-10
2.2 EPA Ocular Hazard Classification System.....	I-10
2.2.1 Balls et al. (1995).....	I-10
2.2.2 Gettings et al. (1996)	I-12
2.2.3 Guerriero et al. (2004).....	I-12
2.2.4 Expanded Data Set.....	I-12
2.3 EU Ocular Hazard Classification System.....	I-12
2.3.1 CEC (1991)	I-13
2.3.2 Balls et al. (1995).....	I-13
2.3.3 Gettings et al. (1996)	I-13
2.3.4 Guerriero et al. (2004).....	I-13
2.3.5 Expanded Data Set.....	I-13
2.4 Accuracy of the IRE Test Method for the GHS Ocular Hazard Classification System, by Chemical Class and Property of Interest – Reanalysis	I-15

2.5	Accuracy of the IRE Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	I-15
3.0	Reliability of the IRE Test Method – Reanalysis	I-18
3.1	Substances Used to Re-evaluate the Reliability of the IRE Test Method	I-19
3.2	Reanalysis of IRE Test Method Intralaboratory Repeatability	I-19
3.3	Reanalysis of IRE Test Method Intralaboratory Reproducibility.....	I-19
3.4	Reanalysis of IRE Test Method Interlaboratory Reproducibility.....	I-20
3.4.1	Qualitative Reanalysis of Interlaboratory Reproducibility	I-20
3.4.1.1	GHS Ocular Hazard Classification System	I-20
3.4.1.2	EPA Ocular Hazard Classification System.....	I-21
3.4.1.3	EU Ocular Hazard Classification System.....	I-23
3.4.2	Quantitative Reanalysis of Interlaboratory Reproducibility	I-26
3.4.3	Additional Reanalysis of Interlaboratory Reproducibility	I-27
3.5	IRE Test Method Historical Positive and Negative Control Data - Reanalysis.....	I-27
3.6	Reliability of the IRE Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	I-27
4.0	References	I-30
Appendix I-A	Substances Used in the IRE Test Method Reanalysis.....	I-33

II. Isolated Chicken Eye (ICE) Test Method Accuracy and Reliability

Reanalysis	II-1	
1.0	Introduction	II-3
2.0	Accuracy of the ICE Test Method - Reanalysis	II-4

2.1	GHS Ocular Hazard Classification System	II-7
2.1.1	Prinsen and Koëter (1993)	II-7
2.1.2	Balls et al. (1995).....	II-7
2.1.3	Prinsen (1996)	II-9
2.1.4	Prinsen (2005)	II-9
2.1.5	Entire Data Set.....	II-9
2.2	EPA Ocular Hazard Classification System.....	II-9
2.2.1	Prinsen and Koëter (1993)	II-10
2.2.2	Balls et al. (1995).....	II-10
2.2.3	Prinsen (1996)	II-10
2.2.4	Prinsen (2005)	II-10
2.2.5	Entire Data Set.....	II-10
2.3	EU Ocular Hazard Classification System.....	II-12
2.3.1	Prinsen and Koëter (1993)	II-12
2.3.2	Balls et al. (1995).....	II-12
2.3.3	Prinsen (1996)	II-12
2.3.4	Prinsen (2000)	II-12
2.3.5	Prinsen (2005)	II-15
2.3.6	Entire Data Set.....	II-15
2.4	Accuracy of the ICE Test Method for the GHS Ocular Hazard Classification System, by Chemical Class and Property of Interest - Reanalysis	II-15
2.5	Accuracy of the ICE Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	II-17
3.0	Reliability of the ICE Test Method - Reanalysis.....	II-19
3.1	Substances Used to Re-evaluate the Reliability of the ICE Test Method	II-19
3.2	Reanalysis of ICE Test Method Intralaboratory Repeatability	II-19
3.3	Reanalysis of ICE Test Method Intralaboratory Reproducibility.....	II-20

3.4	Reanalysis of ICE Test Method Interlaboratory Reproducibility.....	II-24
3.4.1	Qualitative Reanalysis of Interlaboratory Reproducibility	II-24
3.4.1.1	GHS Ocular Hazard Classification System	II-24
3.4.1.2	EPA Ocular Hazard Classification System.....	II-26
3.4.1.3	EU Ocular Hazard Classification System.....	II-28
3.4.2	Quantitative Reanalysis of Interlaboratory Reproducibility	II-29
3.4.3	Additional Reanalyses of Interlaboratory Reproducibility	II-29
3.5	ICE Test Method Historical Positive and Negative Control Data - Reanalysis.....	II-30
3.6	Reliability of the ICE Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	II-31
4.0	References	II-32
Appendix II-A	Substances Used in the ICE Test Method Reanalysis.....	II-35

III. Bovine Corneal Opacity and Permeability (BCOP) Test Method

	Accuracy and Reliability Reanalysis	III-1
1.0	Introduction	III-3
2.0	Accuracy of the BCOP Test Method - Reanalysis	III-4
2.1	GHS Ocular Hazard Classification System	III-7
2.2	EPA Ocular Hazard Classification System.....	III-10
2.3	EU Ocular Hazard Classification System.....	III-10
2.4	Accuracy of the BCOP Test Method for the GHS Ocular Hazard Classification System, by Chemical Class and Property of Interest - Reanalysis	III-13
2.5	Accuracy of the BCOP Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	III-17
3.0	Reliability of the BCOP Test Method - Reanalysis.....	III-19

3.1	Substances Used to Re-evaluate the Reliability of the BCOP Test Method.....	III-20
3.2	Reanalysis of BCOP Test Method Intralaboratory Repeatability	III-20
3.3	Reanalysis of BCOP Test Method Intralaboratory Reproducibility.....	III-21
3.4	Reanalysis of BCOP Test Method Interlaboratory Reproducibility.....	III-21
3.4.1	Qualitative Reanalysis of Interlaboratory Reproducibility	III-22
3.4.1.1	GHS Ocular Hazard Classification System	III-22
3.4.1.2	EPA Ocular Hazard Classification System.....	III-25
3.4.1.3	EU Ocular Hazard Classification System.....	III-25
3.4.2	Quantitative Reanalysis of Interlaboratory Reproducibility	III-28
3.4.3	Additional Reanalyses of Interlaboratory Reproducibility	III-28
3.5	BCOP Test Method Historical Positive and Negative Control Data - Reanalysis.....	III-31
3.6	Reliability of the BCOP Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	III-31
4.0	References	III-32
Appendix III-A	Substances Used in the BCOP Test Method Reanalysis	III-35

IV. Hen's Egg Test-Chorioallantoic Membrane (HET-CAM) Test Method

	Accuracy and Reliability Reanalysis	IV-1
1.0	Introduction	IV-3
2.0	Accuracy of the HET-CAM Test Method - Reanalysis	IV-4
2.1	GHS Ocular Hazard Classification System	IV-8
2.2	EPA Ocular Hazard Classification System.....	IV-14

2.3	EU Ocular Hazard Classification System.....	IV-15
2.4	Accuracy of the HET-CAM IS(B) Analysis Method for the GHS Ocular Hazard Classification System, by Chemical Class and Property of Interest - Reanalysis	IV-25
2.5	Accuracy of the HET-CAM Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	IV-28
3.0	Reliability of the HET-CAM Test Method - Reanalysis	IV-31
3.1	Substances Used to Re-evaluate the Reliability of the HET- CAM Test Method	IV-31
3.2	Reanalysis of HET-CAM Test Method Intralaboratory Repeatability	IV-32
3.2.1	Gilleron et al. (1996).....	IV-32
3.2.2	Gilleron et al. (1997).....	IV-40
3.3	Reanalysis of HET-CAM Test Method Intralaboratory Reproducibility.....	IV-48
3.3.1	Gilleron et al. (1996).....	IV-48
3.3.2	Gilleron et al. (1997).....	IV-52
3.4	Reanalysis of HET-CAM Test Method Interlaboratory Reproducibility.....	IV-57
3.4.1	Qualitative Reanalysis of Interlaboratory Reproducibility	IV-58
3.4.1.1	GHS Ocular Hazard Classification System	IV-58
3.4.1.2	EPA Ocular Hazard Classification System.....	IV-61
3.4.1.3	EU Ocular Hazard Classification System.....	IV-65
3.4.2	Quantitative Reanalysis of Interlaboratory Reproducibility	IV-70
3.4.2.1	CEC (1991).....	IV-70
3.4.2.2	Balls et al. (1995)	IV-70
3.4.2.3	Spielmann et al. (1996).....	IV-71

3.4.2.4	Hagino et al. (1999) and Ohno et al. (1999)	IV-77
3.4.3	Additional Reanalyses of Interlaboratory Reproducibility	IV-79
3.5	HET-CAM Test Method Historical Positive and Negative Control Data - Reanalysis.....	IV-79
3.5.1	Data Provided by Dr. Philippe Vanparys.....	IV-79
3.5.2	Data Provided by Dr. med Horst Spielmann and Dr. Manfred Liebsch.....	IV-85
3.6	Reliability of the HET-CAM Test Method for Identifying Ocular Corrosives and Severe Irritants – Summary of Reanalysis	IV-85
4.0	References	IV-86
Appendix IV-A	Substances Used in the HET-CAM Test Method Reanalysis.....	IV-91

V. Revised Proposed Reference Substances for Optimization/Validation

Studies.....	V-1	
1.0	Introduction	V-3
2.0	Revised List of Proposed Reference Substances	V-6
2.1	Performance Standards and Proficiency Substances.....	V-7
3.0	References	V-13
Appendix V-A	Candidate Substances for the List of Proposed Reference Substances for Validation Studies of <i>In Vitro</i> Test Methods for the Identification of Ocular Corrosives/Severe Irritants	V-15
A1	Sorted by CASRN	V-17
A2	Sorted by GHS Ocular Hazard Category and Substance Name	V-51
Appendix V-B	List of Proposed Reference Substances for Validation Studies of <i>In Vitro</i> Test Methods for Identification of Ocular Corrosives/Severe Irritants (Sorted by GHS Ocular Hazard Classification Category and Substance Name).....	V-81

Appendix V-C	List of Proposed Reference Substances for Validation Studies of <i>In Vitro</i> Test Methods for the Identification of Ocular Corrosives/Severe Irritants (Sorted by Chemical Class and Substance Name)	V-103
Appendix V-D	List of Proposed Reference Substances for Validation Studies of <i>In Vitro</i> Test Methods for the Identification of Ocular Corrosives/Severe Irritants (Sorted by Product Class and Substance Name)	V-171

**Appendix A NICEATM-Defined Retrospective *In Vivo* Ocular Irritancy
Classification Rules.....** **A-1**

**Appendix B Glossary of NICEATM-Defined Chemical Classes, Based on
the National Library of Medicine Medical Subject Headings.....** **B-1**